

# Hot Rolled Sheets - Commercial Quality

Dimensions					KG's Per Each
1850	x	925	x	1,6	22,01
2450	x	925	x	1,6	29,15
3050	x	925	x	1,6	36,29
1850	x	1225	x	1,6	29,15
2450	x	1225	x	1,6	38,6
3050	x	1225	x	1,6	48,06
3650	x	1225	x	1,6	57,51
1850	x	925	x	2	27,51
2450	x	925	x	2	36,44
3050	x	925	x	2	45,36
1850	x	1225	x	2	36,44
2450	x	1225	x	2	48,25
3050	x	1225	x	2	60,07
3650	x	1225	x	2	71,89
3000	x	1500	x	2	72,35
1850	x	925	x	2,5	34,39
2450	x	925	x	2,5	45,55
3050	x	925	x	2,5	56,7
2000	x	1000	x	2,5	39,25
1850	x	1225	x	2,5	45,55
2450	x	1225	x	2,5	60,32
3050	x	1225	x	2,5	75,09
3650	x	1225	x	2,5	89,86
2450	x	1500	x	2,5	73,86

3000	x	1500	x	2,5	90,44
3650	x	1500	x	2,5	110,03
1850	x	925	x	2,8	38,52
2450	x	925	x	2,8	51,01
3050	x	925	x	2,8	63,5
1850	x	1225	x	2,8	51,01
2450	x	1225	x	2,8	67,56
3050	x	1225	x	2,8	84,1
3650	x	1225	x	2,8	100,64
2450	x	1500	x	2,8	82,72
3000	x	1500	x	2,8	101,29
3650	x	1500	x	2,8	123,24
2450	x	1800	x	2,8	99,27
3000	x	1800	x	2,8	121,55
3650	x	1800	x	2,8	147,89
1850	x	925	x	3	41,27
2450	x	925	x	3	54,66
3050	x	925	x	3	68,04
3650	x	925	x	3	81,43
1850	x	1225	x	3	54,66
2450	x	1225	x	3	72,38
3050	x	1225	x	3	90,11
3650	x	1225	x	3	107,83
2450	x	1500	x	3	88,63
3000	x	1500	x	3	108,53
3650	x	1500	x	3	132,04
2450	x	1800	x	3	106,36
3000	x	1800	x	3	130,23
3650	x	1800	x	3	158,45
4000	x	1800	x	3	173,64

5000	x	1800	x	3	217,05
6000	x	1800	x	3	260,46
2450	x	1225	x	3,5	84,44
3000	x	1500	x	3,5	126,61
1850	x	925	x	4	55,03
2450	x	1225	x	4	96,51
3000	x	1500	x	4	144,7
4000	x	1800	x	4	231,52

## Hot Rolled Sheets - Commercial Quality

Dimensions					Kg's Per Each
2450	x	1225	x	2	48,25
2450	x	1225	x	2,5	60,32
2450	x	1225	x	2,8	67,56
2450	x	1225	x	3	72,38
2450	x	1225	x	3,5	84,44
2450	x	1225	x	4	96,51

## Cold Rolled Sheets - Commercial Quality

Dimensions					Kg's Per Each
1850	x	925	x	0,5	6,88
1450	x	925	x	0,5	9,11
2000	x	1000	x	0,5	7,85
1850	x	1225	x	0,5	9,11
2450	x	1225	x	0,5	12,06
1850	x	925	x	0,6	8,25
2450	x	925	x	0,6	10,93
2000	x	1000	x	0,6	9,42
1850	x	1225	x	0,6	10,93
2450	x	1225	x	0,6	14,48
3050	x	1225	x	0,6	18,02
3650	x	1225	x	0,6	21,57
1850	x	925	x	0,7	9,63
2450	x	1225	x	0,7	16,89

1850	x	925	x	0,8	11,01
2450	x	925	x	0,8	14,57
1850	x	1225	x	0,8	14,57
2450	x	1225	x	0,8	19,3
3050	x	1225	x	0,8	24,03
3650	x	1225	x	0,8	28,76
1850	x	925	x	0,9	12,38
2450	x	1225	x	0,9	21,71
1850	x	925	x	1	13,76
2450	x	925	x	1	18,22
1850	x	1225	x	1	18,22
2450	x	1225	x	1	24,13
3050	x	1225	x	1	30,04
3650	x	1225	x	1	35,94
1850	x	925	x	1,2	16,51
2450	x	925	x	1,2	21,86
1850	x	1225	x	1,2	21,86
2450	x	1225	x	1,2	28,95
3050	x	1225	x	1,2	36,04
3650	x	1225	x	1,2	43,13
1850	x	925	x	1,6	22,01
2450	x	925	x	1,6	29,15
1850	x	1225	x	1,6	29,15
2450	x	1225	x	1,6	38,6
3050	x	1225	x	1,6	48,06
3650	x	1225	x	1,6	57,51
3000	x	1500	x	1,6	57,88
1850	x	925	x	2	27,51
2450	x	925	x	2	36,44
1850	x	1225	x	2	36,44
2450	x	1225	x	2	48,25

3050	x	1225	x	2	60,07
3650	x	1225	x	2	71,89
3000	x	1500	x	2	72,35

## Galvanised Sheets Z275 - Commercial Quality

Dimensions					Kg's Per Each
1850	x	925	x	0,5	6,88
2450	x	925	x	0,5	9,11
1850	x	1225	x	0,5	9,11
2450	x	1225	x	0,5	12,06
1850	x	925	x	0,58	9,25
2450	x	925	x	0,58	10,93
1850	x	1225	x	0,58	10,93
2450	x	1225	x	0,58	14,48
1850	x	925	x	0,8	11,01
2450	x	925	x	0,8	14,57
1850	x	1225	x	0,8	14,57
2450	x	1225	x	0,8	19,3
1850	x	925	x	1	13,76
2450	x	925	x	1	18,22
1850	x	1225	x	1	18,22
2450	x	1225	x	1	24,13
1850	x	925	x	1,2	16,51
2450	x	925	x	1,2	21,86
1850	x	1225	x	1,2	21,86
2450	x	1225	x	1,2	28,95
1850	x	925	x	1,6	22,01
2450	x	925	x	1,6	29,15
1850	x	1225	x	1,6	29,15
2450	x	1225	x	1,6	38,6

1850	x	925	x	1,9	27,51
2450	x	925	x	1,9	36,44
1850	x	1225	x	1,9	36,44
2450	x	1225	x	1,9	48,25
2450	x	1225	x	2,4	60,32
2450	x	1225	x	3	72,38

## Galvanised Sheets Z275 - Lock Forming Quality

Dimensions					Kg's Per Each
2450	x	1225	x	0,6	14,48
2450	x	1225	x	0,8	19,3
2450	x	1225	x	1	24,13
2450	x	1225	x	1,2	28,95